



PLEASE TAKE NOTE OF THE FOLLOWING POINTS

Following this guide will ensure that you get the best out of your newly installed vinyl branding

Weather dependant, the applied vinyl can take between 5 - 7 Days to fully adhere to the glass, this due to the fact that glass is non porous. During this time the vinyl should not be disturbed, cleaned or tampered with, as ultimately it will affect the final outcome. As the vinyl is applied with an application liquid and pressure, this could cause haziness and or small bubbles $\pm 2\text{mm}$, this is perfectly normal and will disappear as the vinyl fully cures and returns back to it's original form.



It is always good practice to regularly inspect the applied vinyl to ensure that all is in order. Any loose or peeling areas should be attended to immediately.



Window Washing



HAND WASH your windows with a soft cloths or sponge and a mild soapy water. If the windows are heavy soiled rinse as much dirt off as possible before wash, as this reduce scratches on the vinyl. Once washed and rinsed dry off excess water to reduce spotting.



HIGH PRESSURE SPRAYER can be used but is not recommended. Keep th nozzle at least 30cm away from vinyl at a 90° angle. Ensure not to keep the sprayer nozzle in one place for long periods of time, as this could lift or damage the vinyl. Take extra care over delicate areas, such as edges and fine decals.



Chemicals

DO NOT use abrasive or acid based chemicals to clean your branded windows, although no noticeable difference can be see the constant use will shorten the lifespan and some discolouring of your vinyl. will occur. A mild soapy water ie dish wash liquid is ideal, one can put a few drops (5ml / 1 teaspoon) methylated spirits to minimise streaking on the windows. A soft cloth, ie micro fibre or lint free cloth should be used, no abrasive or scratch pads.



Vinyl Removal

Heat the vinyl stickers with a heat gun. Pull off the vinyl under an angle of 90°.The vinyl is developed, not to leave any glue residue after removal of the vinyl. If any glue residue stays behind, it can be removed with isopropanol (rubbing alcohol or surgical spirts).